## Lanier Day Camp Allergy and Anaphylaxis Action Plan

NAME:			AGE:	
ALLERGY TO:				
Asthma:	Yes (high risk for severe reaction)		□ No	
Other health problems be	sides anaphylaxis:			
Concurrent medications,	f any:			
	SYMPTOMS OF ANAPHYLAXIS INCLUDE:			
THROAT*: itc SKIN: itc GUT: vo LUNG*: sh		itching, swelling of lips and/or tongue itching, tightness/closure, hoarseness itching, hives, redness, swelling vomiting, diarrhea, cramps shortness of breath, cough, wheeze weak pulse, dizziness, passing out		
Only a few	symptoms may to *Some symptoms		ymptoms can change quickly.	
WHAT TO DO:				
1. INJECT EPINEPHRINE	EIN THIGH USING	EpiPen Jr. (0	1.15 mg)	
Other medication/dose/ro	ute:			
IMPORTANT: ASTHMA P	UFFERS AND/OR	ANTIHISTAMINES CANN	OT BE DEPENDED ON IN ANAPHYLAXISI	
2. CALL 911 or RESCUE	SQUAD (BEFORE	CALLING CONTACTS)!		
3. EMERGENCY CONTA	CTS:			
Emergency contact #1: h	ome	work	cell	
Emergency contact #2: h	ome	work	el	
Emergency contact #3: h	ome	work	cell	
DO NOT HESITATE TO G	SIVE EPINEPHRIN	E!		
COMMENTS:				
Declaris Circuit D		Secrete Size		
Doctor's Signature/Date	Adapted from J Alberry Clin In		Parent's Signature (for individuals under 18 years)/Date 1998, 102, 173-175 and JAIergy Clin Immunel 2016; 117: 367-977	